



**LEGEND**

PROPERTY BOUNDARY
EXISTING MINOR CONTOURS
EXISTING MAJOR CONTOURS
PROPOSED MINOR CONTOURS
PROPOSED MAJOR CONTOURS
CONSTRUCTION LIMITS
EXISTING STORM SEWER
FLOTATION SILT CURTAIN
BIOROLL
ROCK WEIR
ROCK ARCH RAPIDS
CLASS III VEGETATED RIPRAP
BITUMINOUS PAVEMENT
MULCH - MNDOT 25-131 FOR LOW MAINTENANCE TURF (TYP.)
SEED MIXTURE 34-261 "RIPARIAN SOUTH & WEST" (PLS 31.5 LBS/AC), ROLLED EROSION PREVENTION CATEGORY 35



Stantec

ONE CARLSON PARKWAY  
SUITE 100  
PLYMOUTH, MN 55447

CLIENT:  
  
COON CREEK  
WATERSHED DISTRICT

**XEON BLVD STREAM  
CROSSING REPLACEMENT**

COON RAPIDS, MINNESOTA  
ANOKA COUNTY, MINNESOTA

NOTES

1. SEE SHEET G-002 FOR ADDITIONAL PROJECT NOTES.  
 2. CONSTRUCTION SITE SHALL HAVE STABILIZED ROCK CONSTRUCTION ENTRANCE AT ALL TIMES THROUGHOUT THE DURATION OF THE PROJECT. CONTRACTOR IS ULTIMATELY RESPONSIBLE TO PROTECT DOWNSTREAM WATERS FROM CONSTRUCTION RUNOFF.  
 3. TEMPORARY EROSION CONTROL MUST BE INSTALLED PRIOR TO BEGINNING CONSTRUCTION.  
 4. SITE ACCESS ROUTE MUST BE RESTORED TO EXISTING CONDITIONS POST CONSTRUCTION.  
 5. PROTECT ALL EXISTING UTILITIES AND STRUCTURES.  
 6. STAGING AREA MUST BE ENCLOSED WITH TEMPORARY EROSION CONTROL AT THE END OF EACH WORK DAY.

CERTIFICATION:

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND DIRECT CONTROL, I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

DATE: (DATE)

PROJECT NO.: 227707627  
 DWN BY: BJS CHKD BY: EP APPD BY: ---  
 ISSUE DATE: 07/31/2025  
 ISSUE NO.: 1  
 SHEET TITLE: PROPOSED PLAN  
 SHEET NO.: C1.01

